

L Number	Hits	Search Text	DB	Time stamp
2	0	5709233.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:38
3	21	"5709233"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:04
1	3	"6339267"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:34
7	31	("2953117" "3968843" "4403722" "4483473" "4483474" "4522162" "4597453" "4625903" "RE32452" "4772042" "4974819" "5170851" "5177915" "5187400" "5197646" "5263439" "5320268" "5530304" "5651419" "5680980" "5687898" "5713313" "5875562" "5952766" "6045112" "6171079" "6236126" "6262504" "6269888" "6375171" "6394191").PN.	USPAT	2004/07/26 11:11
8	1	6619527.URPN.	USPAT	2004/07/26 11:30
12	4	("1564896" "3426441" "4135080" "4232454").PN.	USPAT	2004/07/26 11:30
13	8	5875562.URPN.	USPAT	2004/07/26 11:31
14	102	(248/612).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:34
15	8	("0697020" "1435763" "1860883" "2063063" "2459692" "2936140" "3508729" "3773285").PN.	USPAT	2004/07/26 11:35
16	8	4293114.URPN.	USPAT	2004/07/26 11:36
17	15799	(fan or motor)near2 mount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:38
18	18383	(fan or motor)near2 mount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:38
19	18383	(fan or motor) near2 mount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:38
20	988	(fan or motor) near2 mount with vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:38
21	0	(fan or motor) near2 mount with vibration and combustion near2 tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:39

22	58	(fan or motor) near2 mount with vibration and combustion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT	2004/07/26 13:42
23	13	("1860826" "2002762" "2392233" "2877820" "2888246" "3015244" "3042924" "3280921" "3366302" "3602419" "3913685" "3924692" "4511074").PN.		2004/07/26 13:40
24	9	4625903.URPN.	USPAT	2004/07/26 13:41
25	45779	fan near3 motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:43
26	3964	fan near3 motor near3 mount\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:43
27	280	fan near3 motor near3 mount\$3 and combustion	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:43
28	6	fan near3 motor near3 mount\$3 and combustion near3 tool	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:43
29	5	"6262504"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:46
30	12	"5530304"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:46
31	3	"6339267"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:47
32	21	"5709233"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:48
33	62	("6394191" "6375171" "6366126" "0629688" "6062504" "617009/07/2045112" "595276	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:51
34	32	("6394191" "6375171" "6366126" "0629688" "6062504" "617009/07/2045112" "595276		2004/07/26 13:55
35	0	"19906585"	USPAT	2004/07/26 13:55
36	2	"19906585"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 13:56
39	10	("3941339" "4566865" "4648579" "4768925" "4819503" "5069413" "5112024" "5126607" "5366198" "5533704").PN.	USPÄT	2004/07/26 14:14

40	1136	248/638.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/26 14:17
41	369	248/638.ccls. and motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/26 14:17
42	18	248/638.ccls. and motor and tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/26 14:18
43	157	248/638.ccls. and motor and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/26 14:18
46	10	("2650021" "2936141" "3144859" "3161388" "3244105" "3310698" "3976393" "4116171" "4120271" "4213426").PN.	USPAT	2004/07/26 14:24
47	19	4568243.URPN.	USPAT	2004/07/26 14:26
-	3110	hytrel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 10:54
-	591	hytrel and (cushion or suspension or shock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 10:55
-	669	hytrel and (cushion or suspension or shock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 10:55
-	20	hytrel and (cushion or suspension or shock) and combustion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 10:56
-	96	hytrel and (cushion or suspension or shock) and tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:07
-	0	hytrel and (cushion or suspension or shock) and tool	USOCR	2004/06/01 11:04
-	14	5201500.URPN.	USPAT	2004/06/01 11:06
-	148	hytrel and (bumper or spring) and tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:18
-	0	hytrel and (bumper or spring) and tool	USOCR	2004/06/01 11:26
-	0	"6619527"	USOCR	2004/06/01 11:26
-	2	"6619527"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:45

-	31	("2953117" "3968843" "4403722" "4483473" "4483474" "4522162" "4597453" "4625903" "RE32452" "4772042" "4974819" "5170851" "5177915" "5187400" "5197646" "5263439" "5320268" "5530304" "5651419" "5680980" "5687898" "5713313" "5875562" "5952766" "6045112" "6171079" "6236126" "6262504" "6269888" "6375171" "6394191").PN.	USPAT	2004/06/01 11:26
-	0	6619527.URPN.	USPAT	2004/06/01 11:45
-	1286	(227/10,130).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:45
-	1286	(227/10,130).ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:45
-	231	(227/10,130).ccls. and combustion	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:46
-	52	(227/10,130).ccls. and combustion and fan	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:46
-	1	(227/10,130).ccls. and combustion and fan near mount	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:46
-	1	(227/10,130).ccls. and combustion and fan near mount	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:46
-	1	(227/10,130).ccls. and fan near mount	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:47
-	0	(227/10,130).ccls. and fan near mount	USOCR	2004/06/01 11:47
-	0	(227/10,130).ccls. and fan with mount	USOCR	2004/06/01 11:47
-	1	(227/10,130).ccls. and fan with mount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 11:47
-	1286	(227/10,130).ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 12:16
-	574	(173/210,211).ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 12:16
-	8	(173/210,211).ccls. and fan	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 12:21

-	19	(173/210,211).ccls. and combustio\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 12:21
-	16	(173/210,211).ccls. and combustio\$3	USOCR	2004/06/01 12:21
-	5	(173/210,211).ccls. and fan	USOCR	2004/06/01 13:18
-	73411	fan	USOCR	2004/06/01 13:19
-	6744	fan same mount	USOCR	2004/06/01 13:20
-	45663	fan same (mount\$3 or suspend\$3 or suspension or frangible)	USOCR	2004/06/01 13:21
-	9062	fan same (mount\$3 or suspend\$3 or suspension or frangible) and (combustion or explosive)	USOCR	2004/06/01 13:22
-	94	fan same (mount\$3 or suspend\$3 or suspension or frangible) and (combustion or explosive) near (tool or device)	USOCR	2004/06/01 13:26
-	272	fan same (mount\$3 or suspend\$3 or suspension or frangible) and (combustion or explosive) near (tool or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:26
-	23	fan same (mount\$3 or suspend\$3 or suspension or frangible) same (ring) and (combustion or explosive) near (tool or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:33
-	0	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible) and hytrel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:33
-	0	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible) and hytrel	USOCR	2004/06/01 13:33
-	934	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:35
-	208	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible) and vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:35
-	206	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible) and vibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:35
-	39	fan near motor near (mount\$3 or suspend\$3 or suspension or frangible) and (reduc\$3 or less\$3 or stop or prevent\$3) near vibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 13:46
-	6	("3903443" "4452417" "4643386" "4849665" "5203093" "5521447").PN.	USPAT	2004/06/01 13:38
-	2	5959379.URPN.	USPAT	2004/06/01 13:39
-	2	5959379.URPN.	USPAT	2004/06/01 13:40
-	330	123/46sc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 14:02

-	39	123/46sc and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:02
-	10308	(shock or bumper or cushion of brace) and (lock or retain\$3 or snap) near ring	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:22
-	8239	(shock or bumper or cushion or brace) and (lock or retain\$3 or snap) near ring	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:22
-	0	(shock or bumper or cushion or brace) and (lock or retain\$3 or snap) near ring and 227/*.cccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:22
-	63	(shock or bumper or cushion or brace) and (lock or retain\$3 or snap) near ring and 227/\$.cccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:22
-	21	(shock or bumper or cushion or brace) and (lock or retain\$3 or snap) near ring and 227/\$.cccls. and combustion	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:22
-	7	("1638968" "2056676" "2905411" "3323763" "3343016" "4082974" "5019737").PN.	USPÄT	2004/06/01 16:38
-	11	5521447.URPN.	USPAT	2004/06/01 16:38